RT² Profiler PCR Array (Rotor-Gene® Format) Mouse Dopamine & Serotonin Pathway

Cat. no. 330231 PAMM-158ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array,	Rotor-Gene Q, other Rotor-Gene cyclers
Format R	

Description

The Mouse Dopamine & Serotonin Pathway RT² Profiler PCR array profiles the expression of 84 genes associated with the dopamine and serotonin systems. Dopamine and serotonin are 2 of the major neurotransmitter systems in the mammalian nervous system. Dopamine affects brain processes that control both motor and emotional behavior and plays a role in the brain's reward mechanism. Serotonin is critical in temperature regulation, sensory perception, locomotion, sleep, and psychosis. Pharmacological agents targeting dopaminergic/serotoninergic neurotransmission have been clinically used to manage several neurological and psychiatric disorders including Parkinson's disease, schizophrenia, bipolar disorder, depression, attention deficit and hyperactivity disorder (ADHD), and addiction. Besides significant progress in understanding their structural, genetic and pharmacological properties, recent studies have uncovered the complexity, intricacy, and plasticity of intracellular signaling mechanisms involved in dopamine and serotonin receptor function. These receptors act through diverse G-protein coupled and G-protein independent mechanisms that trigger downstream intracellular signal transduction events involving the cAMP/PKA, PI-3Kinase/AKT, phospholipase A2 (PLA2), and phospholipase C (PLC) pathways. These pathways in turn regulate various functions including synthesis, transport and degradation of dopamine and serotonin as well as the transcriptional regulation key genes linked to multiple neuropathological conditions. Using real time PCR, research studies can easily and reliably analyze the expression of a focused panel of genes associated with and regulated by the dopamine and serotonin systems with this array.

For further details, consult the RT² Profiler PCR Array Handbook.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at -20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc[™] (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description	
A01	Mm.259733	NM_009622	Adcy1	Adenylate cyclase 1	
A02	Mm.390617	NM_153534	Adcy2	Adenylate cyclase 2	
A03	Mm.70546	NM_138305	Adcy3	Adenylate cyclase 3	
A04	Mm.41137	NM_001012765	Adcy5	Adenylate cyclase 5	
A05	Mm.46797	NM_007419	Adrb1	Adrenergic receptor, beta 1	
A06	Mm.5598	NM_007420	Adrb2	Adrenergic receptor, beta 2	
A07	Mm.254144	NM 130863	Adrbk1	Adrenergic receptor kinase, beta 1	
A08	Mm.285619	NM 177078	Adrbk2	Adrenergic receptor kinase, beta 2	
A09	Mm.6645	NM 009652	Akt1	Thymoma viral proto-oncogene 1	
A10	Mm.177194	NM 007434	Akt2	Thymoma viral proto-oncogene 2	
A11	Mm.235194	NM 011785	Akt3	Thymoma viral proto-oncogene 3	
A12	Mm.12286	NM 007440	Alox12	Arachidonate 12-lipoxygenase	
B01	Mm.277585	NM 007471	App	Amyloid beta (A4) precursor protein	
B02	Mm.260193	NM 177231	Arrb1	Arrestin, beta 1	
B03	Mm.203747	NM 145429	Arrb2	Arrestin, beta 2	
B03	Mm.1442	NM 007540	Bdnf	Brain derived neurotrophic factor	
B05	Mm.334658	NM_007578	Cacnala	Calcium channel, voltage-dependent, P/Q type, alpha 1A subunit	
B06	Mm.334056 Mm.34405	NM_007578 NM_009810	Cacna ra		
B06 B07	Mm.34405 Mm.298798	_	Casp3 Cdk5	Caspase 3	
		NM_007668		Cyclin-dependent kinase 5	
B08	Mm.100940	NM_007744	Comt	Catechol-O-methyltransferase	
B09	Mm.453295	NM_133828	Creb1	CAMP responsive element binding protein 1	
B10	Mm.474216	NM_019823	Cyp2d22	Cytochrome P450, family 2, subfamily d, polypeptide 22	
B11	Mm.167781	NM_138942	Dbh	Dopamine beta hydroxylase	
B12	Mm.12906	NM_016672	Ddc	Dopa decarboxylase	
C01	Mm.54161	NM_010076	Drd1a	Dopamine receptor D1A	
C02	Mm.41970	NM_010077	Drd2	Dopamine receptor D2	
C03	Mm.439735	NM_007877	Drd3	Dopamine receptor D3	
C04	Mm.41075	NM_007878	Drd4	Dopamine receptor D4	
C05	Mm.167154	NM_013503	Drd5	Dopamine receptor D5	
C06	Mm.239041	NM_013642	Dusp 1	Dual specificity phosphatase 1	
C07	Mm.22897	NM_173447	Ephb1	Eph receptor B1	
C08	Mm.246513	NM_010234	Fos	FBJ osteosarcoma oncogene	
C09	Mm.4679	NM_010275	Gdnf	Glial cell line derived neurotrophic factor	
C10	Mm.1239	NM 010277	Gfap	Glial fibrillary acidic protein	
C11	Mm.117076	NM 019497	Grk4	G protein-coupled receptor kinase 4	
C12	Mm.279400	NM 018869	Grk5	G protein-coupled receptor kinase 5	
D01	Mm.10193	NM 011938	Grk6	G protein-coupled receptor kinase 6	
D02	Mm.476745	NM 001031667	Gsk3a	Glycogen synthase kinase 3 alpha	
D03	Mm.394930	NM 019827	Gsk3b	Glycogen synthase kinase 3 beta	
D04	Mm.4716	NM 008308	Htrla	5-hydroxytryptamine (serotonin) receptor 1A	
D05	Mm.445308	NM 010482	Htr1b	5-hydroxytryptamine (serotonin) receptor 1B	
D05	Mm.40573	NM 008309	Htr1d	5-hydroxytryptamine (serotonin) receptor 1D	
D07	Mm.5040	NM 008310	Htr1f	5-hydroxytryptamine (serotonin) receptor 1F	
D07	Mm.214351	NM 172812	Htr2a	5-hydroxytryptamine (serotonin) receptor 17 5-hydroxytryptamine (serotonin) receptor 2A	
D08	Mm.439747	NM_172812 NM 008311	Htr2b	7 7 7 7 7 7	
D10	Mm.439747 Mm.439670	NM_008311	Htr2c	5-hydroxytryptamine (serotonin) receptor 2B	
		-		5-hydroxytryptamine (serotonin) receptor 2C	
D11	Mm.4831	NM_013561	Htr3a	5-hydroxytryptamine (serotonin) receptor 3A	
D12	Mm.117131	NM_020274	Htr3b	5-hydroxytryptamine (serotonin) receptor 3B	
E01	Mm.20440	NM_008313	Htr4	5 hydroxytryptamine (serotonin) receptor 4	
E02	Mm.4835	NM_008314	Htr5a	5-hydroxytryptamine (serotonin) receptor 5A	
E03	Mm.425211	NM_021358	Htr6	5-hydroxytryptamine (serotonin) receptor 6	
E04	Mm.254266	NM_008315	Htr7	5-hydroxytryptamine (serotonin) receptor 7	
E05	Mm.227912	NM_010585	ltpr1	Inositol 1,4,5-trisphosphate receptor 1	
E06	Mm.21108	NM_173740	Маоа	Monoamine oxidase A	
E07	Mm.241656	NM_172778	Maob	Monoamine oxidase B	
E08	Mm.196581	NM_011949	Mapk1	Mitogen-activated protein kinase 1	
E09	Mm.119	NM 010444	Nr4a1	Nuclear receptor subfamily 4, group A, member 1	

Position	UniGene	GenBank	Symbol	Description	
E10	Mm.247261	NM_015743	Nr4a3	Nuclear receptor subfamily 4, group A, member 3	
E11	Mm.87161	NM_011866	Pde10a	Phosphodiesterase 10A	
E12	Mm.191749	NM_183408	Pde4a	Phosphodiesterase 4A, cAMP specific	
F01	Mm.20181	NM_019840	Pde4b	Phosphodiesterase 4B, cAMP specific	
F02	Mm.255180	NM_201607	Pde4c	Phosphodiesterase 4C, cAMP specific	
F03	Mm.434429	NM_011056	Pde4d	Phosphodiesterase 4D, cAMP specific	
F04	Mm.6239	NM_018863	Pdyn	Prodynorphin	
F05	Mm.260521	NM_008839	Pik3ca	Phosphatidylinositol 3-kinase, catalytic, alpha polypeptide	
F06	Mm.101369	NM_020272	Pik3cg	Phosphoinositide-3-kinase, catalytic, gamma polypeptide	
F07	Mm.23347	NM_011110	Pla2g5	Phospholipase A2, group V	
F08	Mm.330607	NM_019677	Plcb1	Phospholipase C, beta 1	
F09	Mm.215156	NM_177568	Plcb2	Phospholipase C, beta 2	
F10	Mm.273204	NM_008874	Plcb3	Phospholipase C, beta 3	
F11	Mm.45372	NM_144828	Ppp1r1b	Protein phosphatase 1, regulatory (inhibitor) subunit 1B	
F12	Mm.19111	NM_008854	Prkaca	Protein kinase, cAMP dependent, catalytic, alpha	
G01	Mm.292547	NM_011198	Ptgs2	Prostaglandin-endoperoxide synthase 2	
G02	Mm.19301	NM_153054	Slc18a1	Solute carrier family 18 (vesicular monoamine), member 1	
G03	Mm.353923	NM_172523	Slc18a2	Solute carrier family 18 (vesicular monoamine), member 2	
G04	Mm.41993	NM_010020	Slc6a3	Solute carrier family 6 (neurotransmitter transporter, dopamine), member 3	
G05	Mm.300318	NM_010484	Slc6a4	Solute carrier family 6 (neurotransmitter transporter, serotonin), member 4	
G06	Mm.17484	NM_009221	Snca	Synuclein, alpha	
G07	Mm.292168	NM_026408	Sncaip	Synuclein, alpha interacting protein (synphilin)	
G08	Mm.441431	NM_013681	Syn2	Synapsin II	
G09	Mm.258622	NM_019911	Tdo2	Tryptophan 2,3-dioxygenase	
G10	Mm.1292	NM_009377	Th	Tyrosine hydroxylase	
G11	Mm.248684	NM_009414	Tph1	Tryptophan hydroxylase 1	
G12	Mm.31597	NM_173391	Tph2	Tryptophan hydroxylase 2	
H01	Mm.328431	NM_007393	Actb	Actin, beta	
H02	Mm.163	NM_009735	B2m	Beta-2 microglobulin	
H03	Mm.343110	NM_008084	Gapdh	Glyceraldehyde-3-phosphate dehydrogenase	
H04	Mm.3317	NM_010368	Gusb	Glucuronidase, beta	
H05	Mm.2180	NM_008302	Hsp90ab1	Heat shock protein 90 alpha (cytosolic), class B member 1	
H06	N/A	SA_00106	MGDC	Mouse Genomic DNA Contamination	
H07	N/A	SA_00104	RTC	Reverse Transcription Control	
H08	N/A	SA_00104	RTC	Reverse Transcription Control	
H09	N/A	SA_00104	RTC	Reverse Transcription Control	
H10	N/A	SA_00103	PPC	Positive PCR Control	
H11	N/A	SA_00103	PPC	Positive PCR Control	
H12	N/A	SA_00103	PPC	Positive PCR Control	

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

^{*} Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen. com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Rotor-Gene®, Rotor-Disc™ (QIAGEN Group); ROX™ (Applera Corporation or its subsidiaries); SYBR® (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.aiaaen.com Australia • 1-800-243-800 Austria • 0800/281010 Belgium • 0800-79612 Brazil • 0800-557779

Canada • 800-572-9613 China • 8621-3865-3865 Denmark ■ 80-885945 Finland • 0800-914416 France • 01-60-920-930 Germany • 02103-29-12000 Hong Kong • 800 933 965

Ireland • 1800 555 049 Italy • 800-787980 Japan ■ 03-6890-7300 Korea (South) • 080-000-7145 Luxembourg ■ 8002 2076 Mexico • 01-800-7742-436 The Netherlands • 0800 0229592 USA • 800-426-8157

Norway • 800-18859 Singapore ■ 1800-742-4368 Spain ■ 91-630-7050 Sweden • 020-790282 Switzerland ■ 055-254-22-11 UK • 01293-422-911

