

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Rat Parkinson's Disease

Cat. no. 330231 PARN-124ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems® models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad® models iCycler®, iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf® Mastercycler® ep realplex models 2, 2s, 4, 4s; Stratagene® models Mx3005P®, Mx3000P®; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon®, DNA Engine Opticon 2; Stratagene Mx4000®
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche® LightCycler® 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm® BioMark™



Description

The Rat Parkinson's Disease RT² Profiler™ PCR Array profiles the expression of 84 key genes directly or potentially involved in Parkinson's disease (PD). PD is a neurodegenerative disorder caused by loss of dopaminergic neurons. Although there are inheritable genetic forms of PD, the majority of diagnoses are sporadic PD, where the cause is unknown. Gene expression microarray analyses of multiple PD animal models have shed insight into the mechanism of PD initiation and progression. For example, one microarray study shows that genes of the PARK family, central to inheritable PD, are also dysregulated in patients diagnosed with sporadic PD. In addition, this study identifies dysregulated genes involved in ion transport, such as ATP2B2. Therefore, PD research focuses on both known mutated genes, such as Alpha-synuclein (SNCA) and Parkin (PARK2), as well as novel genes identified from microarray experiments. This array includes known PD genes and their interactors, as well as genes whose expression changes across multiple human, mouse, rat and macaque PD microarray analyses. These genes mediate multiple cellular functions dysregulated in PD, such as ubiquitination, ion transport, apoptosis and dopaminergic signaling. Using real-time PCR, you can easily and reliably analyze the expression of a focused panel of genes involved in Parkinson's disease progression with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Aldh1a1	Apc	App	Atp2b2	Atxn2	Atxn3	Basp1	Bdnf	Cadps	Casp1	Casp3	Casp7
B	Casp8	Casp9	Cd44	Cdc27	Cdc42	Cdh8	Chgb	Cirbp	Cul2	Cxcl1	Ddc	Dlk1
C	Drd2	Egln1	Fbxo9	Fgf13	Fjx1	Fn1	Gabbr2	Gpr37	Gria3	Hmgcs1	Hspa4	Htr2a
D	Kcnj6	Mapk9	Mapt	Nefl	Nfasc	Nr4a2	Nrxn3	Nsf	Nsg1	Ntrk2	Opa1	Pan2
E	Park2	Park7	Pink1	Ppid	Ppp2r1b	Prdx2	Psen2	Pten	Rgs4	Rtn1	S100b	Skp1
F	Slc18a2	Slc25a4	Slc6a3	Slit1	Snca	Spen	Srsf7	Stub1	Sv2b	Syng3	Syt1	Syt11
G	Tcf7l2	Th	Tpbp	Uba1	Ubb	Ube2i	Ube2k	Ube2l3	Uchl1	Vamp1	Vdac3	Ywhaz
H	Actb	B2m	Hprt1	Ldha	Rplp1	RGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.6132	NM_022407	Aldh1a1	Aldehyde dehydrogenase 1 family, member A1
A02	Rn.88057	NM_012499	Apc	Adenomatous polyposis coli
A03	Rn.2104	NM_019288	App	Amyloid beta (A4) precursor protein
A04	Rn.90982	NM_012508	Atp2b2	ATPase, Ca++ transporting, plasma membrane 2
A05	Rn.6129	XM_213779	Atxn2	Ataxin 2
A06	Rn.42932	NM_021702	Atxn3	Ataxin 3
A07	Rn.37779	NM_022300	Basp1	Brain abundant, membrane attached signal protein 1
A08	Rn.11266	NM_012513	Bdnf	Brain-derived neurotrophic factor
A09	Rn.88197	NM_013219	Cadps	Ca++-dependent secretion activator
A10	Rn.37508	NM_012762	Casp1	Caspase 1
A11	Rn.10562	NM_012922	Casp3	Caspase 3
A12	Rn.53995	NM_022260	Casp7	Caspase 7
B01	Rn.54474	NM_022277	Casp8	Caspase 8
B02	Rn.32199	NM_031632	Casp9	Caspase 9, apoptosis-related cysteine peptidase
B03	Rn.1120	NM_012924	Cd44	Cd44 molecule
B04	Rn.198335	NM_001024793	Cdc27	Cell division cycle 27 homolog (S. cerevisiae)
B05	Rn.60067	NM_171994	Cdc42	Cell division cycle 42 (GTP binding protein)
B06	Rn.214220	NM_053393	Cdh8	Cadherin 8
B07	Rn.11090	NM_012526	Chgb	Chromogranin B
B08	Rn.28931	NM_031147	Cirbp	Cold inducible RNA binding protein
B09	Rn.2970	NM_001108417	Cul2	Cullin 2
B10	Rn.86349	NM_001079698	Cxcl1	CXXC finger 1 (PHD domain)
B11	Rn.11064	NM_012545	Ddc	Dopa decarboxylase (aromatic L-amino acid decarboxylase)
B12	Rn.14547	NM_053744	Dlk1	Delta-like 1 homolog (Drosophila)
C01	Rn.87299	NM_012547	Drd2	Dopamine receptor D2
C02	Rn.44718	XM_002725436	Egln1	EGL nine homolog 1 (C. elegans)
C03	Rn.3335	NM_001011998	Fbxo9	F-box protein 9
C04	Rn.15709	NM_053428	Fgf13	Fibroblast growth factor 13
C05	Rn.93503	NM_001108955	Fjx1	Four jointed box 1 (Drosophila)
C06	Rn.1604	NM_019143	Fn1	Fibronectin 1
C07	Rn.162814	NM_031802	Gabbr2	Gamma-aminobutyric acid (GABA) B receptor 2
C08	Rn.28035	NM_057201	Gpr37	G protein-coupled receptor 37
C09	Rn.74049	NM_032990	Gria3	Glutamate receptor, ionotropic, AMPA 3
C10	Rn.5106	NM_017268	Hmgcs1	3-hydroxy-3-methylglutaryl-Coenzyme A synthase 1 (soluble)
C11	Rn.163092	NM_153629	Hspa4	Heat shock protein 4
C12	Rn.10294	NM_017254	Htr2a	5-hydroxytryptamine (serotonin) receptor 2A
D01	Rn.10185	NM_013192	Kcnj6	Potassium inwardly-rectifying channel, subfamily J, member 6
D02	Rn.9910	NM_017322	Mapk9	Mitogen-activated protein kinase 9
D03	Rn.2455	NM_017212	Mapt	Microtubule-associated protein tau
D04	Rn.18568	NM_031783	Nefl	Neurofilament, light polypeptide
D05	Rn.3048	NM_053909	Nfasc	Neurofascin
D06	Rn.88129	NM_019328	Nr4a2	Nuclear receptor subfamily 4, group A, member 2
D07	Rn.10926	NM_053817	Nrxn3	Neurexin 3
D08	Rn.13345	NM_021748	Nsf	N-ethylmaleimide-sensitive factor
D09	Rn.2865	NM_024128	Nsg1	Neuron specific gene family member 1

Position	UniGene	GenBank	Symbol	Description
D10	Rn.11246	NM_012731	Ntrk2	Neurotrophic tyrosine kinase, receptor, type 2
D11	Rn.9783	NM_133585	Opa1	Optic atrophy 1 homolog (human)
D12	Rn.9091	NM_001008862	Pan2	PAN2 polyA specific ribonuclease subunit homolog (S. cerevisiae)
E01	Rn.207194	NM_020093	Park2	Parkinson disease (autosomal recessive, juvenile) 2, parkin
E02	Rn.30105	NM_057143	Park7	Parkinson disease (autosomal recessive, early onset) 7
E03	Rn.219286	NM_001106694	Pink1	PTEN induced putative kinase 1
E04	Rn.136915	NM_001004279	Ppid	Peptidylprolyl isomerase D (cyclophilin D)
E05	Rn.163017	NM_001025418	Ppp2r1b	Protein phosphatase 2 (formerly 2A), regulatory subunit A, beta isoform
E06	Rn.2511	NM_017169	Prdx2	Peroxiredoxin 2
E07	Rn.11045	NM_031087	Psen2	Presenilin 2
E08	Rn.22158	NM_031606	Pten	Phosphatase and tensin homolog
E09	Rn.11065	NM_017214	Rgs4	Regulator of G-protein signaling 4
E10	Rn.55126	NM_053865	Rtn1	Reticulon 1
E11	Rn.8937	NM_013191	S100b	S100 calcium binding protein B
E12	Rn.3477	NM_001007608	Skp1	S-phase kinase-associated protein 1
F01	Rn.9686	NM_013031	Slc18a2	Solute carrier family 18 (vesicular monoamine), member 2
F02	Rn.4092	NM_053515	Slc25a4	Solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 4
F03	Rn.10093	NM_012694	Slc6a3	Solute carrier family 6 (neurotransmitter transporter, dopamine), member 3
F04	Rn.30002	NM_022953	Slit1	Slit homolog 1 (Drosophila)
F05	Rn.1827	NM_019169	Snca	Synuclein, alpha (non A4 component of amyloid precursor)
F06	Rn.99178	XM_345315	Spen	SPEN homolog, transcriptional regulator (Drosophila)
F07	Rn.218757	NM_001039035	Srsf7	Serine/arginine-rich splicing factor 7
F08	Rn.6504	NM_001025625	Stub1	STIP1 homology and U-Box containing protein 1
F09	Rn.58137	NM_057207	Sv2b	Synaptic vesicle glycoprotein 2b
F10	Rn.6497	NM_001106985	Syngn3	Synaptogyrin 3
F11	Rn.216272	NM_001033680	Syt1	Synaptotagmin I
F12	Rn.9805	NM_031667	Syt11	Synaptotagmin XI
G01	Rn.105849	XM_001054844	Tcf7l2	Transcription factor 7-like 2 (T-cell specific, HMG-box)
G02	Rn.11082	NM_012740	Th	Tyrosine hydroxylase
G03	Rn.43122	NM_031807	Tpbp	Trophoblast glycoprotein
G04	Rn.11800	NM_001014080	Uba1	Ubiquitin-like modifier activating enzyme 1
G05	Rn.1253	NM_138895	Ubb	Ubiquitin B
G06	Rn.2274	NM_013050	Ube2i	Ubiquitin-conjugating enzyme E2I (UBC9 homolog, yeast)
G07	Rn.203330	NM_001106006	Ube2k	Ubiquitin-conjugating enzyme E2K (UBC1 homolog, yeast)
G08	Rn.163186	NM_001108847	Ube2l3	Ubiquitin-conjugating enzyme E2L 3
G09	Rn.107213	NM_017237	Uchl1	Ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)
G10	Rn.31977	NM_013090	Vamp1	Vesicle-associated membrane protein 1
G11	Rn.107287	NM_031355	Vdac3	Voltage-dependent anion channel 3
G12	Rn.1292	NM_013011	Ywhaz	Tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta polypeptide
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX [™] qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779



Sample & Assay Technologies