

RT² Profiler PCR Array (96-Well Format and 384-Well [4 x 96] Format)

Rat Drug Metabolism: Phase I Enzymes

Cat. no. 330231 PARN-068ZA

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format A	Applied Biosystems [®] models 5700, 7000, 7300, 7500, 7700, 7900HT, ViiA™ 7 (96-well block); Bio-Rad [®] models iCycler [®] , iQ™ 5, MyiQ™, MyiQ2; Bio-Rad/MJ Research Chromo4™; Eppendorf [®] Mastercycler [®] ep realplex models 2, 2s, 4, 4s; Stratagene [®] models Mx3005P [®] , Mx3000P [®] ; Takara TP-800
RT ² Profiler PCR Array, Format C	Applied Biosystems models 7500 (Fast block), 7900HT (Fast block), StepOnePlus™, ViiA 7 (Fast block)
RT ² Profiler PCR Array, Format D	Bio-Rad CFX96™; Bio-Rad/MJ Research models DNA Engine Opticon [®] , DNA Engine Opticon 2; Stratagene Mx4000 [®]
RT ² Profiler PCR Array, Format E	Applied Biosystems models 7900HT (384-well block), ViiA 7 (384-well block); Bio-Rad CFX384™
RT ² Profiler PCR Array, Format F	Roche [®] LightCycler [®] 480 (96-well block)
RT ² Profiler PCR Array, Format G	Roche LightCycler 480 (384-well block)
RT ² Profiler PCR Array, Format H	Fluidigm [®] BioMark™



Sample & Assay Technologies

Description

The Rat Drug Metabolism: Phase I Enzymes RT² Profiler PCR Array contains 84 genes involved in phase I drug metabolism. Phase I drug metabolism enzymes make compounds more hydrophilic and add functional groups necessary for the completion of Phase II drug metabolism. This array represents genes involved in Phase I drug metabolism reactions including oxidation, reduction, hydrolysis, cyclization, and decyclization. Members of the Cytochrome P450 enzyme family that play a key role in mediating phase I drug metabolism reactions are also included on this array. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to drug phase I metabolism with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in formats A, C, D, E, F, and G are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products. RT² Profiler PCR Arrays in format H are shipped on dry ice or blue ice packs.

For long term storage, keep plates at -20°C .

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.

Array layout (96-well)

For 384-well 4 x 96 PCR arrays, genes are present in a staggered format. Refer to the *RT² Profiler PCR Array Handbook* for layout.

	1	2	3	4	5	6	7	8	9	10	11	12
A	Aadac	Adh1	Adh4	Adh6	Adh7	Aldh1a1	Aldh1a2	Aldh1a3	Aldh1b1	Aldh2	Aldh3a1	Aldh3a2
B	Aldh3b1	Aldh3b2	Aldh5a1	Aldh6a1	Aldh7a1	Aldh8a1	Aldh9a1	Cel	Cyp11a1	Cyp11b1	Cyp17a1	Cyp19a1
C	Cyp1a1	Cyp1a2	Cyp1b1	Cyp24a1	Cyp26a1	Cyp26b1	Cyp26c1	Cyp27a1	Cyp27b1	Cyp2a3	Cyp2b2	Cyp2b3
D	Cyp2c11	Cyp2c22	Cyp2c23	Cyp2c37	Cyp2c6	Cyp2c7	Cyp2c80	Cyp2d2	Cyp2d4	Cyp2e1	Cyp2f4	Cyp2r1
E	Cyp2s1	Cyp2t1	Cyp2w1	Cyp3a18	Cyp3a23/3a1	Cyp3a9	Cyp4a3	Cyp4a8	Cyp4b1	Cyp4f1	Cyp4f18	Cyp4f4
F	Cyp4f40	Cyp4f6	Cyp7a1	Cyp7b1	Cyp8b1	Dhrs2	Dpyd	Esd	Fmo1	Fmo2	Fmo3	Fmo4
G	Fmo5	Gzma	Gzmb	Hsd17b10	Maaa	Maob	Ptgs1	Ptgs2	Tas1r2	Uchl1	Uchl3	Xdh
H	Actb	B2m	Hprt1	Ldha	Rplp1	RGDC	RTC	RTC	RTC	PPC	PPC	PPC

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.48732	NM_020538	Aadac	Arylacetamide deacetylase (esterase)
A02	Rn.40222	NM_019286	Adh1	Alcohol dehydrogenase 1 (class I)
A03	Rn.98159	NM_017270	Adh4	Alcohol dehydrogenase 4 (class II), pi polypeptide
A04	Rn.214994	NM_001012084	Adh6	Alcohol dehydrogenase 6 (class V)
A05	Rn.42935	NM_134329	Adh7	Alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide
A06	Rn.6132	NM_022407	Aldh1a1	Aldehyde dehydrogenase 1 family, member A1
A07	Rn.10514	NM_053896	Aldh1a2	Aldehyde dehydrogenase 1 family, member A2
A08	Rn.8297	NM_153300	Aldh1a3	Aldehyde dehydrogenase 1 family, member A3
A09	Rn.12547	NM_001011975	Aldh1b1	Aldehyde dehydrogenase 1 family, member B1
A10	Rn.101781	NM_032416	Aldh2	Aldehyde dehydrogenase 2 family (mitochondrial)
A11	Rn.105627	NM_031972	Aldh3a1	Aldehyde dehydrogenase 3 family, member A1
A12	Rn.9113	NM_031731	Aldh3a2	Aldehyde dehydrogenase 3 family, member A2
B01	Rn.162510	NM_001006998	Aldh3b1	Aldehyde dehydrogenase 3 family, member B1
B02	Rn.214520	XM_001068348	Aldh3b2	Aldehyde dehydrogenase 3 family, member B2
B03	Rn.10070	XM_214478	Aldh5a1	Aldehyde dehydrogenase 5 family, member A1
B04	Rn.2098	NM_031057	Aldh6a1	Aldehyde dehydrogenase 6 family, member A1
B05	Rn.7330	XM_214535	Aldh7a1	Aldehyde dehydrogenase 7 family, member A1
B06	Rn.44523	XM_001065122	Aldh8a1	Aldehyde dehydrogenase 8 family, member A1
B07	Rn.98155	NM_022273	Aldh9a1	Aldehyde dehydrogenase 9 family, member A1
B08	Rn.91234	NM_016997	Cel	Carboxyl ester lipase
B09	Rn.1401	NM_017286	Cyp11a1	Cytochrome P450, family 11, subfamily a, polypeptide 1
B10	Rn.198235	NM_012537	Cyp11b1	Cytochrome P450, family 11, subfamily b, polypeptide 1
B11	Rn.10172	NM_012753	Cyp17a1	Cytochrome P450, family 17, subfamily a, polypeptide 1
B12	Rn.21402	NM_017085	Cyp19a1	Cytochrome P450, family 19, subfamily a, polypeptide 1
C01	Rn.10352	NM_012540	Cyp1a1	Cytochrome P450, family 1, subfamily a, polypeptide 1
C02	Rn.5563	NM_012541	Cyp1a2	Cytochrome P450, family 1, subfamily a, polypeptide 2
C03	Rn.10125	NM_012940	Cyp1b1	Cytochrome P450, family 1, subfamily b, polypeptide 1
C04	Rn.100353	NM_201635	Cyp24a1	Cytochrome P450, family 24, subfamily a, polypeptide 1
C05	Rn.81072	NM_130408	Cyp26a1	Cytochrome P450, family 26, subfamily A, polypeptide 1
C06	Rn.19898	NM_181087	Cyp26b1	Cytochrome P450, family 26, subfamily b, polypeptide 1
C07	Rn.141117	XM_217935	Cyp26c1	Cytochrome P450, family 26, subfamily C, polypeptide 1
C08	Rn.94956	NM_178847	Cyp27a1	Cytochrome P450, family 27, subfamily a, polypeptide 1
C09	Rn.10847	NM_053763	Cyp27b1	Cytochrome P450, family 27, subfamily b, polypeptide 1
C10	Rn.2063	NM_012542	Cyp2a3	Cytochrome P450, family 2, subfamily a, polypeptide 3
C11	Rn.91353	NM_001198676	Cyp2b2	Cytochrome P450, family 2, subfamily b, polypeptide 2
C12	Rn.4845	NM_173294	Cyp2b3	Cytochrome P450, family 2, subfamily b, polypeptide 3
D01	Rn.10870	NM_019184	Cyp2c11	Cytochrome P450, subfamily 2, polypeptide 11
D02	Rn.88025	NM_138512	Cyp2c22	Cytochrome P450, family 2, subfamily c, polypeptide 22
D03	Rn.2184	NM_031839	Cyp2c23	Cytochrome P450, family 2, subfamily c, polypeptide 23
D04	Rn.185941	XM_001063361	Cyp2c37	Cytochrome P450, family 2, subfamily c, polypeptide 37
D05	Rn.91122	XM_001066767	Cyp2c6	Cytochrome P450, family 2, subfamily c, polypeptide 6
D06	Rn.1247	NM_017158	Cyp2c7	Cytochrome P450, family 2, subfamily c, polypeptide 7
D07	Rn.154468	XM_217906	Cyp2c80	Cytochrome P450, family 2, subfamily c, polypeptide 80
D08	Rn.91355	NM_012730	Cyp2d2	Cytochrome P450, family 2, subfamily d, polypeptide 2
D09	Rn.26060	NM_138515	Cyp2d4	Cytochrome P450, family 2, subfamily d, polypeptide 4

Position	UniGene	GenBank	Symbol	Description
D10	Rn.1372	NM_031543	Cyp2e1	Cytochrome P450, family 2, subfamily e, polypeptide 1
D11	Rn.10817	NM_019303	Cyp2f4	Cytochrome P450, family 2, subfamily f, polypeptide 4
D12	Rn.100758	NM_001108499	Cyp2r1	Cytochrome P450, family 2, subfamily r, polypeptide 1
E01	Rn.6389	NM_001107495	Cyp2s1	Cytochrome P450, family 2, subfamily s, polypeptide 1
E02	Rn.144661	NM_134369	Cyp2h1	Cytochrome P450, family 2, subfamily t, polypeptide 1
E03	Rn.99881	XM_221971	Cyp2w1	Cytochrome P450, family 2, subfamily W, polypeptide 1
E04	Rn.32085	NM_145782	Cyp3a18	Cytochrome P450, family 3, subfamily a, polypeptide 18
E05	Rn.91120	NM_013105	Cyp3a23/3a1	Cytochrome P450, family 3, subfamily a, polypeptide 23/polypeptide 1
E06	Rn.10489	NM_147206	Cyp3a9	Cytochrome P450, family 3, subfamily a, polypeptide 9
E07	Rn.33492	NM_175760	Cyp4a3	Cytochrome P450, family 4, subfamily a, polypeptide 3
E08	Rn.10034	NM_031605	Cyp4a8	Cytochrome P450, family 4, subfamily a, polypeptide 8
E09	Rn.86651	NM_016999	Cyp4b1	Cytochrome P450, family 4, subfamily b, polypeptide 1
E10	Rn.5722	NM_019623	Cyp4f1	Cytochrome P450, family 4, subfamily f, polypeptide 1
E11	Rn.215683	NM_001033686	Cyp4f18	Cytochrome P450, family 4, subfamily f, polypeptide 18
E12	Rn.10170	NM_173123	Cyp4f4	Cytochrome P450, family 4, subfamily f, polypeptide 4
F01	Rn.218623	NM_001109360	Cyp4f40	Cytochrome P450, family 4, subfamily f, polypeptide 40
F02	Rn.11269	NM_153318	Cyp4f6	Cytochrome P450, family 4, subfamily f, polypeptide 6
F03	Rn.10737	NM_012942	Cyp7a1	Cytochrome P450, family 7, subfamily a, polypeptide 1
F04	Rn.53969	NM_019138	Cyp7b1	Cytochrome P450, family 7, subfamily b, polypeptide 1
F05	Rn.23013	NM_031241	Cyp8b1	Cytochrome P450, family 8, subfamily b, polypeptide 1
F06	N/A	XM_001078405	Dhrs2	Dehydrogenase/reductase member 2
F07	Rn.158382	NM_031027	Dpyd	Dihydropyrimidine dehydrogenase
F08	Rn.3682	NM_001106051	Esd	Esterase D/formylglutathione hydrolase
F09	Rn.867	NM_012792	Fmo1	Flavin containing monooxygenase 1
F10	Rn.3928	NM_144737	Fmo2	Flavin containing monooxygenase 2
F11	Rn.163228	NM_053433	Fmo3	Flavin containing monooxygenase 3
F12	Rn.216582	NM_144562	Fmo4	Flavin containing monooxygenase 4
G01	Rn.7038	NM_144739	Fmo5	Flavin containing monooxygenase 5
G02	Rn.22283	NM_153468	Gzma	Granzyme A
G03	Rn.21395	NM_138517	Gzmb	Granzyme B
G04	Rn.2700	NM_031682	Hsd17b10	Hydroxysteroid (17-beta) dehydrogenase 10
G05	Rn.163443	NM_033653	Maoa	Monoamine oxidase A
G06	Rn.6656	NM_013198	Maob	Monoamine oxidase B
G07	Rn.44404	NM_017043	Ptgs1	Prostaglandin-endoperoxide synthase 1
G08	Rn.44369	NM_017232	Ptgs2	Prostaglandin-endoperoxide synthase 2
G09	Rn.203318	XM_001071722	Tas1r2	Taste receptor, type 1, member 2
G10	Rn.107213	NM_017237	Uchl1	Ubiquitin carboxyl-terminal esterase L1 (ubiquitin thiolesterase)
G11	Rn.46952	NM_001110165	Uchl3	Ubiquitin carboxyl-terminal esterase L3 (ubiquitin thiolesterase)
G12	Rn.202951	NM_017154	Xdh	Xanthine dehydrogenase
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with real-time cyclers that do not require a reference dye, including: Bio-Rad models CFX96, CFX384, DNA Engine Opticon 2; Bio-Rad/MJ Research Chromo4; Roche LightCycler 480 (96-well and 384-well); all other cyclers	330500
RT ² SYBR Green ROX™ qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Applied Biosystems models 5700, 7000, 7300, 7500 [Standard and FAST], 7700, 7900HT 96-well block [Standard and FAST] and 384-well block, StepOnePlus; Eppendorf Mastercycler ep realplex models 2, 2S, 4, 4S; Stratagene models Mx3000P, Mx3005P, Mx4000; Takara TP-800	330520
RT ² SYBR Green Fluor qPCR Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the following real-time cyclers: Bio-Rad models iCycler, iQ5, MyiQ, MyiQ2	330510

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN® (QIAGEN Group); Applied Biosystems®, ViiA™, StepOnePlus™, ROX™ (Applied Biosystems Corporation or its subsidiaries); Bio-Rad®, iCycler®, iQ™, MyiQ™, Chromo4™, CFX96™, DNA Engine Opticon®, CFX384™ (Bio-Rad Laboratories, Inc.); Stratagene®, Mx3005P®, Mx3000P®, Mx4000® (Stratagene); Eppendorf®, Mastercycler® (Eppendorf AG); Roche®, LightCycler® (Roche Group); Fluidigm® BioMark™ (Fluidigm Corporation); SYBR® (Molecular Probes, Inc.).

1066029 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Canada ■ 800-572-9613

Ireland ■ 1800 555 049

Norway ■ 800-18859

China ■ 8621-3865-3865

Italy ■ 800-787980

Singapore ■ 1800-742-4368

Denmark ■ 80-885945

Japan ■ 03-6890-7300

Spain ■ 91-630-7050

Australia ■ 1-800-243-800

Finland ■ 0800-914416

Korea (South) ■ 080-000-7145

Sweden ■ 020-790282

Austria ■ 0800/281010

France ■ 01-60-920-930

Luxembourg ■ 8002 2076

Switzerland ■ 055-254-22-11

Belgium ■ 0800-79612

Germany ■ 02103-29-12000

Mexico ■ 01-800-7742-436

UK ■ 01293-422-911

Brazil ■ 0800-557779

Hong Kong ■ 800 933 965

The Netherlands ■ 0800 0229592

USA ■ 800-426-8157



Sample & Assay Technologies